

# INDEX MAPS.

T. 36 N. R. 3 W. 2<sup>nd</sup> Mer.

	6	5	4	3	2	1
	7	8	9	10	11	12
	18	17	16	15	14	13
	157	160				
154	19	157	20	160	21	22
	157	159				
154	30	156	29	159	28	161
	156	158				
155	31	155	32	158	33	161
	153	159				

T. 37 N. R. 3 W. 2<sup>nd</sup> Mer.

	170	170	169	169	168	168
173	6	193	5	189	4	185
	193	193				
174	7	194	8	190	9	185
	194	194				
174	18	195	17	190	16	186
	195	195				
175	19	196	20	191	21	187
	197	196				
175	30	197	29	191	28	188
	198	197				
176	31	198	32	192	33	189

152

Township 36 North Range 3 West 2<sup>nd</sup> Mer. Ind<sup>4</sup>

C. L. South Boundary. (Var. 6<sup>th</sup> E.)  
 From the S.W. cor. of sec. 35, surveyed  
 for the Michigan road - where found  
 a post standing. (having run the W<sup>1</sup>/<sub>2</sub> of  
 the S. side of sec. 35) - raise a mound  
 West On the S. side of sec. 34  
 9.00 Enter a pond  
 14.00 Leave the Do,  
 40.00 Set the 2<sup>nd</sup> sec. cor. post in La. prairie  
 prairie - where raised a mound,  
 80.00 Set a post cor. to sec. 33 & 34 in prairie  
 where raise a mound,  
 Land is rolling & first rate prairie

West On the S. side of sec. 33,  
 32.50 Leave the prairie,  
 40.00 Set the gr. sec. cor. post from which  
 a Br. Oak 14 in dia, bears N 36<sup>3</sup>/<sub>4</sub> W 390 ft.,  
 & a Do. 13 " " " N 31<sup>1</sup>/<sub>2</sub> E 211 "  
 57.78 To a W. Oak 30 " " in the line,  
 53.55 " " Do. 17 " " " " "  
 57.19 To a shallow lake a pond & set post,  
 a W. Oak 19 in dia, bears N 59<sup>1</sup>/<sub>2</sub> E 61 ft. 10 in.,  
 & a Do. 15 " " " N 74<sup>1</sup>/<sub>2</sub> E 86 " "  
 80.00 The cor. of sec. 32 & 33 is in pond  
 inacceptable. Land for E 32 chq. is  
 similar. & W. 48 day & past level bearing  
 very thinly timbered with W & B Oak

West On the S. side of sec. 32,  
 9.00 Leave the Lake or pond, set post  
 a W. Oak 18 in dia, bears N 52<sup>1</sup>/<sub>2</sub> W 139 ft.,  
 & a G. Oak 20 " " " N 78<sup>1</sup>/<sub>2</sub> W 158 "  
 This lake has grass growing all over it.

T. 36 N. R. 3 W. 2<sup>nd</sup>, Mer. Ind.

- 6.00 water not more than 3 ft. deep  
 Lake may go dry in summer, posts  
 are set upon it now because the sec,  
 corner is inaccessible than with a view to  
 meander it, —
- 15.45 To a Hickory 9 in. dia. in the line,  
 40.00 Set the gr. res. cor. post from which  
 a G. Oak 17 in. dia. bears  $N 88^{\circ} E 96$  M.,  
 & a W. Oak 14 " " "  $N 71^{\circ} E 80$  " only
- 51.00 To a Brook 15 lbs. wide cr. S. & Ent. marsh  
 63.50 Leave the marsh  
 70.30 To a Hickory 13 in. dia. in the line,  
 80.00 Set a post cor. to sec. 31 & 32 from which  
 a Hickory 16 in. dia. bears  $N 25^{\circ} E 66$  M.,  
 & a Do. 16 " " "  $N 35^{\circ} E 45$  "  
 Dry land rolling bearing good soil  
 & thinly timbered with Hickory, W & Y, Oak

West On the S. side of sec. 31

- 7.50 To a Marsh  
 28.50 Leave the Do.  
 37.89 To a G. Oak 19 in. dia. in the line,  
 40.00 Set the gr. res. cor. post from which  
 a G. Oak 18 in. dia. bears  $N 71^{\circ} E 82$  M.,  
 & a Do. 19 " " "  $N 25^{\circ} E 96$  " only
- 73.85 To the W. boundary at 5.62.47. M. cor. of  
 Town 35 & 36 N. R. 4 & 5 W —  
 a Hickory 18 in. dia. bears  $N 42^{\circ} W 16$  M. only  
 & a Do. 14 " " "  $S 52^{\circ} E 29$  "  
 Land &c. is similar to last mile,  
 Var. Cr. being the same that W<sup>2</sup> of S. side  
 of sec. 35 — was run, July 28<sup>th</sup> 1834  
 note. Sec. 28. is reserved for John B. Thadronah. his  
 residence being near the center of said sec.  
 By treaty. 26<sup>th</sup> of Oct. 1832,

T. 36 N. R. 3 W. 2<sup>nd</sup> Mer. Ind. 1

Co. L. Surveyed by Robt. Clark Jr. Dep. Sur.

West Boundary. (Var.  $7^{\circ}15'E$ .)  
 North. On Random, & at 3 miles 7.50 lbs. I  
 intersect Michigan road lands & correct  
 the line at  $7^{\circ}15'E$ . Variation, which is  
 supposed to be very nearly the course  
 of the E. side town 35. N. 4 W, from  
 the mound at the S.E. cor. of sec. 13  
 of Michigan road lands. Thence

South. On the E. side of sec. 24 T. 36 N. R. 4 W  
 16.00 Leave dry prairie & Enter marsh  
 39.00 Leave marsh to point of dry land  
 41.29 To a G. Oak 19 in dia. in the line,  
 43.00 To a Lake & set a post from which  
 a W. Oak 13 in dia. bears  $N20\frac{1}{2}W$  62 lbs.  
 & a Do. 14 " " "  $N50\frac{1}{2}E$  110 " 9th,  
 47.50 Set the gr. sec. cor. post in lake,  
 78.74 Leave the Lake & set a post fr. wh.  
 a G. Oak 19 in dia. bears  $N25W$  29 lbs.  
 & a W. Oak 16 " " "  $N56\frac{1}{2}E$  104 "  
 87.50 Set a post cor. to sec. 24 & 25 from wh.  
 a W. Oak 16 in dia. bears  $N21\frac{1}{2}W$  54 lbs.  
 & a Do. 14 " " "  $N67W$  42 "  
 Dry land North of Lake 1<sup>st</sup> rate prairie  
 South of Do. Rolling barrens

South. On the E. side of sec. 25. T. 36 N. R. 4 W  
 16.07 To a W. Oak 14 in dia. in the line,  
 25.00 Enter a marsh  
 39.00 Leave the same,  
 40.00 Set the gr. sec. cor. post from which  
 a G. Oak 20 in dia. bears  $N44W$  82 lbs. 9th.



T. 36 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

6. Le. To a Y. Oak 11 mi. dia. heavy S 78 E 50 lbs. dia.  
42.98 To a Y. Oak 16 " " in the line,  
45.32 " " W. Oak 8 " " " "  
46.50 Enter a marsh  
50.50 To a Brook 6 lbs. wide in. S. E. handsome  
61.00 Leave the marsh  
73.50 Enter a Do,  
80.00 Set a post cor. to Secs. 25 & 36 fr. wh.,  
a Hickory 15 mi. dia. heavy NW 85 S lbs. dia.  
no other near  
Dry land & timber similar, marsh  
is a good mowing meadow,

South On the E. side of sec, 36 T 36 N 4 W  
40.00 Set the gr. sec. cor. post from which  
a G. Oak 17 in. dia. bears N 84 1/2 W 518 lks. dist,  
4 a W. Oak 16 " " " S 54 W 511 " "  
67.00 Leave the marsh  
80.00 To the Town corner,  
Dry land similar. marsh too wet  
mostly for meadow, (Var. 7:15 E.)  
Feby. 20<sup>th</sup> 1834. Surveyed by,  
Robert Clark Jr. Dep. Sur,

Subdivisions (Var. 5' 55' E.)

North Between sections 31 & 32  
9.00 To a W. Oak 6 wd. dia. in the line,  
11.69 " " Stream 10 lbs. wide cor. S.E. brink  
15.23 To a G. Oak 12 wd. dia. in the line,  
37.11 " " W. Oak 6 " " " "  
40.00 Set the gr. redg. cor. post from which  
a W. Oak 18 wd. dia. bears N 64 $\frac{1}{2}$ ° W 59 lbs.,  
To a Do. 14 " " " East 48 & dist.  
80.00 Set a post cor. to sec. 29. 30. 31 & 32.

T. 36 N. R. 3 W. 2<sup>nd</sup>. Mer. Ind. a

6.00 a Hickory 16 in. dia., bear East 2<sup>1</sup>/<sub>2</sub> M. dist.,  
 & a Do. 6 " " " N 77<sup>1</sup>/<sub>2</sub> W 79 " "  
 Land rolling dry & sandy soil 3<sup>rd</sup> rate  
 & the timber is G. Oak W. Oak & Hickory  
 & the mud. gets. is red root & Brakes,

West On Kandone between sec. 30 & 31

5.00 Leave timber & Enter marsh N. & W.

20.16 To a stream 8<sup>1</sup>/<sub>2</sub> M. wide en. SW. brist  
 pure water & shallow -

75.74 To the Range line 5<sup>1</sup>/<sub>2</sub> M. N. of post  
 Land, nearly all marsh & 3<sup>rd</sup> rate

East Correct the line between sec. 30 & 31  
 corner post & mound -

35.74 Set the gr. sec. cor. post in marsh

75.74 To the section corner,

North Between sections 29 & 30

5.50 To a Hickory 18 in. dia. in the line,

15.35 " " Do. 12 " " " " "

40.00 Set the gr. sec. cor. post from which  
 a Hickory 10 in. dia., bear N 4<sup>1</sup>/<sub>2</sub> W 32 M. dist.,  
 & a Hickory 10 " " " N 6<sup>1</sup>/<sub>2</sub> E 23 " "

59.64 To a Hickory 12 " " in the line,

63.00 Enter a marsh en. E & W,

73.00 Leave the marsh & Enter timber

80.00 Set a post cor. to sec. 19, 20, 29 & 30,  
 a Hickory 9 in. dia., bear S 64<sup>1</sup>/<sub>2</sub> E 32 M. dist.,  
 & a Do. 5 " " " N 33<sup>1</sup>/<sub>2</sub> W 74 " "

Land S. 1<sup>2</sup>/<sub>2</sub> dry land & 2<sup>nd</sup> rate & the  
 N<sup>1</sup>/<sub>2</sub> same marsh 3<sup>rd</sup> rate & the timber  
 is B. Oak, Hickory W & G. Oak little N. & S.  
 N<sup>1</sup>/<sub>2</sub> same marsh 3<sup>rd</sup> rate,

T. 36 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

6. L. West	On Random between sec. 19 & 30 To the E. line of sec. at post Land gently rolling & small woods third rate & the timber is Y. Oak Hickory & W. Oak scattering & short. N. G. red root.
East 37.96 43.75 77.96	Correct the line between sec. 19 & 30 a Hickory 10 in dia, bears S 57 $\frac{1}{2}$ E 74 $\frac{1}{2}$ M. La B. Oak 12 " " " N 64 E 103 " Set the gr. sec. cor. post from which a W. Oak 14 in dia, bears S 62 $\frac{1}{2}$ W 50 $\frac{1}{2}$ M. dist. La Hickory 7 " " " N 78 $\frac{1}{2}$ E 45 " " To a Y. Oak 18 " " in the line, To the section corner,
North 30.00 55.00 82.50	Between sections 19 & 20, Enter a grove of thick timber. SE. & NW, Leave the grove & enter prairie & field. SE & NW, To the line of Mich. road land, 190 M. W. of post. Land st. banners. B. Oak & W. Oak bushes scattering and 3 <sup>rd</sup> rate at least, dry first rate & the timber in grove Sugar, Lyrny Ash Walnuts Iron Aspen Hickory Cherry & Y. Oak, & part of it is prairie land,
South 42.50 82.50	Correct between sec. 19 & 20. (S. 1 <sup>st</sup> 20' W.) Corner post in a mound Set the gr. sec. cor. post from which a B. Walnut 24 in dia, bears S 57 E 10 M. La an Elm 16 " " " N 50 W 24 adia To the section corner,
West	On line of Mich. Road land, betw. sec. 18 & 19

6. L.	N 86 $\frac{1}{2}$ W,
81.90	To the Range line, Land dry & smooth prairie & first rate,
East	Correct between sec. 18 & 19. (S 86 $\frac{1}{2}$ E.)
	Corner post & mound
44.90	Set the gr. sec. cor. post in prairie where raise a mound
	Dr. sec. cor. M. R. L. not found,
81.90	To the sec. cor. June 26th. 1834
North	Between Section 32 & 33, cor. in lake inaccessible commence at post in town line on E. side of Lake N. 30 chs. pass lake. W. 22 chs. 81 chs. on to line,
83.72	To the South boundary of J. B. Chandon's reserve. 13 chs. E. of post,
South	Correct the line between sec. 32 & 33
	a W. Oak 6 in dia. bears S 88 $\frac{1}{2}$ W 118 chs. dir.
	& a Y. Oak 5 " " " S 38 W 80 " "
43.72	Set the gr. sec. cor. post from which
	a Hickory 18 in dia. bears N 32 $\frac{1}{2}$ W 19 chs.
	& a Hickory 14 " " " N 6 $\frac{1}{2}$ E 36 " dir.
62.70	Set post between sec. 32 & 33. on lake
	a Y. Oak 12 in dia. bears N 14 $\frac{1}{2}$ W 81 chs. dir.
	& a Y. Oak 12 " " " N 31 E 67 " "
	Land dry red rate Oak & Hickory. &c., under growth red root
588.20 W	On Random between sec. 29 & 32
23.00	Enter a marsh cr. N E, & S. W.
31.81	To a stream 6 chs. wide cr. S. W. brink
35.00	Leave the marsh, (pure water)



T. 36 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>n</sup>

6. L. 79.70	To the W. line of sec. 44 Mer. S. of post.
188.6 39.85	Correct the line betw. sec. 29 & 32 set the gr. sur. cor. post from which a W. Oak 10 in. dia. bears S 77° W 28 Mer. 7 ft., Va G. Oak 22 " " " N 44° E 50 " "
79.70	To the section corner, Land W <sup>1</sup> / <sub>2</sub> is dry 2 <sup>nd</sup> rate & B. Oak, E <sup>1</sup> / <sub>2</sub> is rolling, same, mark 3 <sup>rd</sup> rate & the timber is G. Oak, W. Oak & B. Oak by
N 25° E	E. side of sec. 29 on line of J. B. Shandree's reserve betw. sec. 28 & 29
19.50	To an impassible pond offset E. 3 chs, N. 650 lks. & W. 3 chs. —
26.00	Over the pond
40.00	Set the gr. sur. cor. post from wh, a B. Oak 8 in. dia. bears S 31° E 45 Mer. 10 ft., Va Do. 16 " " " N 21° W 45 " "
48.00	To an impassible pond offset ~ West 4 chs, N. 6 chs. E. 4 chs, to line,
54.00	Over pond
80.74	To post cor. sec. 20 & 29 from which a W. Oak 2 in. dia. bears S 21° W 102 Mer, Va W. Oak 22 " " " S 72° E 184 "
	Land is mostly dry 2 <sup>nd</sup> rate & no timber except a few scattering trees near line
S 89° W	on Random between sections 20 & 29
27.00	Enter a marsh en. NE & S W
32.73	To a Brook 3 Mer. wide en. S. W.
39.00	Leave the marsh & Enter timber
52.75	Enter a marsh en. N. W. & S. E.
62.00	Leave the marsh

160

T. 36c. R. 3 W. 2<sup>nd</sup> New. Ind<sup>a</sup>.

6.25  
80.64 To the W. line of sec. 18 th. N. of post,  
Land on E. 1/2 is mostly dry & 2<sup>nd</sup> rate  
& on W 1/2 is 3<sup>rd</sup> rate & the timber is  
B. Oak & Hickory, scattering,

187.35<sup>8</sup> Corner between sec. 20 & 29 -  
12.76 To a Hickory 10 in. dia. in the line,  
16.64 " " Do. 17 " " " "  
40.32 Set the gr. sec. cor. post from wh,  
a B. Oak 9 in. dia. bears N 54 W 41 th.,  
& a Do. 6 " " " N 43 E 12 "  
80.64 To the sections corner,

12.6 E. side of sec. 20. between sec. 20 & 21  
of Mich. road land -  
16.50 To an impassible pond offset W. 3 chs.  
North. 8.50 ths. & East 3 chs. to line,  
25.00 Over pond  
40.00 Set the gr. sec. cor. post from wh,  
an Elm 10 in. dia. bears S 35 W 26 th.,  
& a Do. 8 " " " N 35 E 12 "  
72.00 To ponds corner in an impassible st.  
post on line between sec. 20 & 21 (N. R. L.)  
an ash 6 in. dia. bears South 5 ths.,  
& a Willow 2 " " " North 22 "  
Land 1 1/2 is 2<sup>nd</sup> rate, N 1/2 is 1<sup>st</sup> rate & the  
timber mostly taken off by settlers  
in N.E. corner of sec. 20 is a large pond  
but is impracticable to meander it, the  
tops of so much timber has been felled  
into it as to render it almost inaccessible,

188.15<sup>8</sup> On N. side of sec. 20. between sec. 20 & 27  
on line of Mich. Road land,

T. 36 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

6. L.  
40.00 Set the gr. sec. cor. post & Raise mound  
52.00 Set post in water in edge of pond  
corner in acequias. Land dry  
Level prairie & first rate  
June 26<sup>th</sup> 1834.

1896 N. side of sec. 33. on line of J. B. Shau-  
doney's reserve, between 28 & 33,  
30.00 Leave scattering & Enter thick grove  
of timber S. E. & N. W.,  
40.00 Set the gr. sec. cor. post from which  
a Hickory 9 in. dia. bears S 35° W 7 1/2 m. dist.  
& a Sugar 4 " " " N 39° E 18 " "  
45.00 Leave grove & Enter prairie en. N & S,  
80.00 To original post & mound corner to  
secs. 27, 28, 33 & 34. (sec. 28 J. B. Shaudoney's  
reserve, Land W & E is second rate & 1<sup>st</sup>?  
& the timber in grove thick Sugar Oak  
Walnut, Hickory Ash Elm &c. W. G. Hazel spruce,

## North Between sections 33 &amp; 34

40.00 set the gr. sec. cor. post & Raise mound  
54.45 Enter a field en. E & W,  
82.20 Leave the do. —  
82.55 Set post cor. sec. 27, 33 & 34 in prairie  
where raise a mound  
Land dry level smooth prairie &  
first rate —

North On the W. side of sec. 27 on line,  
between sec. 27 & 28, on line of  
J. B. Shaudoney's reserve  
40.00 Set the gr. sec. cor. post & where  
raise a mound of Earth & sod.

162

T. 36 N. R. 3 W. 2<sup>nd</sup>. New, Ind.<sup>a</sup>,

6.25  
80.34 Set post cor. section 27 & 28, Shandougs & reserve & sec. 21 & 22 of Mich. Road land  
Land is smooth dry prairie 1<sup>st</sup> rate,

N. 25<sup>th</sup> E. North on the E. side of sec. 34 on line of Mich. Road land, between sec. 34 & 35  
40.00 Set the gr. sec. cor. post & Raina mound  
80.17 Set post at cor. sec. 26, 27, 34 & 35 M. R. L.  
Land dry prairie gently rolling 1<sup>st</sup> rate W. G. Hazel & prairie grass, &c.,  
July 1<sup>st</sup> 1834. —

West Between sections 27 & 34 — (188° 18' W.)  
40.32½ Set the gr. sec. cor. post & Raina mound  
80.65 To post & mound cor. sec. 27, 23 & 34  
Land dry smooth prairie 1<sup>st</sup> rate,

North (18° 25' E.) E. side of sec. 27, betw. 26 & 27 on the line of Mich. R. land,  
25.00 Leave prairie & Ent. scattering timber,  
40.00 Set the gr. sec. cor. post from which a B. Oak 3 in. dia. bears N 78° W 3 1/4 m. dist, & a Do 4 " " " " N 80° E 19 " "  
40.36 To gr. sec. cor. post on sec. 26. M. R. L.  
80.75 " post cor. sec. 27 & corner sec. 22, 23 & 26 of Mich. Road Land, from which a Hickory 8 in. dia. bears S 36° W 9 1/4 m. dist, & a Do. 12 " " " South 13 " "  
Land It is mostly prairie first rate N E is sec? rate. & the timber is Hickory oak,

West (188° W.) on N. side sec. 27 between sec. 22 & 27 on line of Mich. Road land  
30.00 Leave the timber & Enter prairie N.W.



T. 36 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>a</sup>

Co. L.

40.12 Let the 22. Sec. cor. post & Main mound  
 80.24 to post & mound. cor. sec. 29 & corner to  
 sec. 21 & 22 M. R. L. & sec. 28. - J. B. Shan,  
 done & resume - Land on E.  $\frac{1}{2}$  2<sup>nd</sup> rate  
 & the timber is scattering Hickory & B.  
 oak. & W.  $\frac{1}{2}$  is dry smooth level prairie & flat.

Meanders of shallow lake in sec. -  
 32 & 33. Commence at meand. post on  
 town line. E. side of lake -

Course Co. L.

Remarks,

N 40 W 3.00

In sec. 33

N 82 W 11.00

N 10 E 8.50

N 60 E 8.50

N 35 W 15.00

N 48 W 11.50

N 89 W 1.71

To line between sec. 32 &amp; 33

N 29 W 4.50

In sec. 32

N 30 W 16.00

N 54 E 11.10

To the town line W. side of  
Lake at post.

Meanders of Lake in sec 19  
 Begin at post in W. boundary  
 Range line. on S. side of lake  
 In sec. 19

N 66 E 6.50

N 38 E 5.00

N 81 E 6.50

N 8 W 5.50

N 30 W 9.00

N 6 E 7.50

N 35 W 14.00

T. 36 N. R. 3 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Comm. Co. L.	Monday Continued,
N 20 W 3.00	In sec. 19 (MS. 1834)
N 64 E W 2.00	To Range line W. boundary of Town. at post N. side of the Lake — Sept. 28.

Description of Trac. T. 36 N. R. 3 W.  
This township in the aggregate —  
contains nearly equal portions of  
1<sup>st</sup> & 2<sup>nd</sup> rate land & 3<sup>d</sup> rate —  
The soil is generally of a sandy  
quality & mostly level, is well  
supplied with good water for stock  
raising purposes & excellent water  
easily procured by digging. There  
is a prevailing scarcity of useful  
timber owing partly to the extensive  
trespasses committed upon it by  
squatters to improve lands aggra-  
ving; inasmuch that some of  
the best groves are reduced back  
almost to a state of nudity, scarcely  
distinguishable from the surrounding  
prairie —

I certify that in pursuance of  
a contract with W. T. Williams, Sur.  
General of the U. States for the States  
of Ohio, Indiana & Terr. of Michigan  
dated 21<sup>th</sup> of April 1836: & in strict  
conformity to the laws of the U. States  
& the instructions of said Sur. Genl.  
I have surveyed & subdivided into  
sections, Trac. Town 36 N. Range 3 W. 2<sup>nd</sup>

T. 36 N. R. 3 W. 2<sup>nd</sup> Mer. Ind<sup>e</sup>

2<sup>nd</sup> Mer. Indiana. - And I further  
 certify that the foregoing are the true  
 & original field notes of said survey  
 & subdivision, (corrected & amended),  
 executed as aforesaid. &  
 Certified this 28<sup>th</sup> day of September  
 1834. - William Clark. Dep. Sur.  
 William Abraham. Chairman,  
 John Preston. Marker,

I certify that the foregoing trans-  
 -cript of field notes of Township  
 36 North, Range 3 West 2<sup>nd</sup> Mer. Ind<sup>e</sup>,  
 has been compared with the  
 original in this office & found to  
 be correct.

C. S. R. A. S.

Sur. Genl.

Surveyor General's office,  
 Cincinnati. May 7<sup>th</sup> 1842. }